
[Upgrade to revision]

R20TS0508EJ0100

Rev.1.00

Nov. 01, 2019

e² studio Smart Configurator Plug-in V2.3.0,

Smart Configurator for RX V2.3.0,

CS+ RX Smart Configurator Communication Plugins V1.02.06

Outline

The products in the title have been updated as follows.

- (1) e² studio Smart Configurator Plug-in: V2.2.1 to V2.3.0
- (2) Smart Configurator for RX: V2.2.1 to V2.3.0
- (3) CS+ RX Smart Configurator Communication Plugins: V1.02.05 to V1.02.06

1. Products and Versions to Be Updated

- e² studio V7.6.0 (Smart Configurator Plug-in V2.2.1) and earlier versions
- Smart Configurator for RX V2.2.1 and earlier versions
- CS+ RX Smart Configurator Communication Plugins V1.02.05 and earlier versions

2. Description of the Update

The main features of the update are described in the following sections. For details, see the release note below.

- Smart Configurator for RX
Smart Configurator for RX V2.3.0 Release Note (Scheduled to be released on November 5.)
<https://www.renesas.com/search/keyword-search.html#genre=document&q=r20ut4487>

2.1 Addition of Supported Devices

Support has been added for the following device group.

- RX23E-A group

For the list of supported devices, see the URL below.

<https://www.renesas.com/smart-configurator>

2.2 Issues Fixed

The issue described in the following note has been fixed.

(1) RENESAS TOOL NEWS Document number: R20TS0466ES0100

1. When Using the NACK reception transfer suspension function on the I²C bus interface

Applicable devices: RX110, RX111, RX113, RX130, RX230, RX231, RX23T, RX24T, RX24U, RX64M, RX651, RX65N, RX66T, RX71M, RX72M, and RX72T groups

For details about this issue, see the URL below.

<https://www.renesas.com/search/keyword-search.html#genre=document&q=r20ts0466>

3. Updating Your Product

The update method varies depending on the product you are using.

For details, see the following sections. The updates are available free of charge.

3.1 For e² studio

The installation procedure is as follows.

- (1) Activate e² studio.
- (2) From the [Help] menu, click the [Check for Updates].
- (3) Select all the components displayed in the [Available Updates] panel, and then click the [Next] button.
- (4) Review and confirm the updates in the [Update Details], and then click the [Next] button.
- (5) After reviewing the licenses, check the [I accept the terms of the license agreements] radio button. Then, click the [Finish] button.
- (6) If the dialog box for selecting a trusted certificate appears, check the displayed certificate, and then click the [OK] button to continue the installation.
- (7) Restart e² studio according to the instructions on the screen.

3.2 For CS+

Update your program by either of the following methods:

- (1) Download and install the Smart Configurator for RX from the URL below.

(Download will be available as of November 5.)

<https://www.renesas.com/smart-configurator#downloads>

Smart Configurator for RX V2.3.0

If you haven't installed CS+ Device Information for RX V3.03.00, refer to the following URL and install the update.

[Upgrade to revision] CS+ Device Information for RX family V3.03.00

<https://www.renesas.com/search/keyword-search.html#genre=document&q=r20ts0492>

- (2) On the Start menu, select Programs > Renesas Electronics CS+ and then start the Update Manager to install the update. (This service will be available on November 20.)

Note: If your CS+ has been launched with rapid startup enabled, exit the CS+ once, and then run the Update Manager.

If the CS+ is resident in the notification area of Windows (system tray) due to rapid startup, an error occurs and produces the following message:

M0120001

"CubeSuiteW+.exe"

Installation is suspended because "CubeSuiteW+.exe" is running.

It will be resumed next time you start the tool.

Revision History

Rev.	Date	Description	
		Page	Summary
1.00	Nov.01.19	-	First edition issued

Renesas Electronics has used reasonable care in preparing the information included in this document, but Renesas Electronics does not warrant that such information is error free. Renesas Electronics assumes no liability whatsoever for any damages incurred by you resulting from errors in or omissions from the information included herein.

The past news contents have been based on information at the time of publication. Now changed or invalid information may be included.

URLs in Tool News also may be subject to change or become invalid without prior notice.

Corporate Headquarters

TOYOSU FORESIA, 3-2-24 Toyosu, Koto-ku, Tokyo 135-0061 Japan
www.renesas.com

Contact information

For further information on a product, technology, the most up-to-date version of a document, or your nearest sales office, please visit:
www.renesas.com/contact/

Trademarks

Renesas and the Renesas logo are trademarks of Renesas Electronics Corporation. All trademarks and registered trademarks are the property of their respective owners.