Old Company Name in Catalogs and Other Documents

On April 1st, 2010, NEC Electronics Corporation merged with Renesas Technology Corporation, and Renesas Electronics Corporation took over all the business of both companies. Therefore, although the old company name remains in this document, it is a valid Renesas Electronics document. We appreciate your understanding.

Renesas Electronics website: http://www.renesas.com

April 1st, 2010 Renesas Electronics Corporation

Issued by: Renesas Electronics Corporation (http://www.renesas.com)

Send any inquiries to http://www.renesas.com/inquiry.



Qzrom Programming Confirmation Form SINGLE-CHIP 8-BIT MICROCOMPUTER M37545GC-XXXGP RENESAS TECHNOLOGY

KO	ivi riurribei	
	Date:	
Receipt	Section head signature	Supervisor signature
Rec		

DOM number

Note: Please fill in all items marked *.

	_	Company name			Supervisor
* Custome	Customer	Telephone number	()	Issuance signature	
		Date issued	Date:		

*1. Confirmation

Specify the name of the product being ordered.

The submitted floppy disk must be 3.5-inch 2HD type and DOS/V format if this order is performed by a floppy disk. And the number of the mask files must be 1 in one floppy disk.

Microcomputer name:	M37545GC-XXXGP	
File code		(hexadecimal notation)
Mask file name		.MSK (equal or less than eight characters)

Note1: Write data to only ROM data area (addresses 4080_{16} to FFD3₁₆, FFDA₁₆, FFDC₁₆ to FFFD₁₆). ROM option data area: Addresses 10_{16}

Note2: The function set ROM data (address FFDA₁₆) must be set according to the data sheet.

The designated value must be set to those bits whose set value is fixed to 1 or 0.

Notes (RENESAS ---> Customer)

Note 1 : ROM data confirmation request

QzROM programming will be processed based on the mask file generated by the mask file generating utility. Only in the case when ROM data programmed in the actual mass produced product differs from that of above mentioned mask file, Renesas takes the responsibility. There is no Engineering Sample, thus please confirm the ROM data at the receipt of the Initial product delivery.

Should you find any problem, please return immediately. Two weeks without technical error feedback towards Renesas will automatically be regarded as acceptance of products.

Note 2 : ROM option ("Mask option" written in the mask file converter MM)

Either of the following data should be set to the ROM option data address (10 ₁₆) of the mask file you have ordered. When you don't protect the ROM data, a third party can read out it.

When the ROM data is protected 00_{16} Address 10_{16} When the ROM data is not protected FF_{16} Address 10_{16}

If you set except the above data or nothing at the ROM option data address (10 16), We can't generate the ROM data. Then we request to submit the data again.

When Renesas ships QzROM write products, we write the data in the ROM option address (10 16) to the actual ROM code protect address (FFDB 16).

Therefore, set FF₁₆ to address FFDB₁₆ in the ROM data regardless of the presence or absence of a protect. When data other than FF₁₆ is set, we may ask that the ROM data be submitted again.


Note 3 : Mark specification

You can appoint the mark by the mark specification form. Without submitting the mark specification form, your mark will be a standard mark. Please fill out the 32P6B/U MARK SPECIFICATION FORM and attach it when you submit the QzROM PROGRAMMING CONFIRMATION FORM. We can't deal with special font marking (customer's trademark etc.) in QzROM microcomputer.

ROM number	
ROW number	

QZROM PROGRAMMING CONFIRMATION FORM SINGLE-CHIP 8-BIT MICROCOMPUTER M37545GC-XXXGP **RENESAS TECHNOLOGY**

ROM-Protection-Area



*Z. USage conditions	*2.	Usage	conditions
----------------------	-----	-------	------------

u

For our reference of new products, please reply to the following questions about the sage of the products your ordered.	Эl
(1) Which operation source main clock do you use?	
Ceramic resonator External clock input	
Quartz-crystal oscillation Other ()	
At what frequency? $f(X_{IN})=$ MHz	
(2) What is the voltage of power supply (V _{DD}) you use?	
Typ.= V Min.= V Max.=	V
(3) What is the ambient temperature you use?	
Typ.= C Min.= C Max.=	3
(4) Please reply to the following questions about timer function.	
(i) Which timer do you use?	
Timer1 Timer2 Timer3	
(ii) Which count source of timer do you use?	
- Timer2	
- Timer3	′)
(iii) Please reply to the following questions about carrier-generating function.	
- Is 445kHz carrier-generating mode effective?	
- Is software carrier-outputting effective?	

REC19B0022-0100 Rev.1.00

*3. Comments

ROM number	
------------	--

Qzrom Programming Confirmation Form Single-Chip 8-bit Microcomputer M37545GC-XXXGP RENESAS TECHNOLOGY

(5) Do you use the Watc	hdog timer? Not use	
(6) Do you use the oscill	ation stop detection circuit?	
Use	Not use	
Thank you cooperation		