









..













DESIGN CROSS SECTION CHART
TOTAL THICKNESS 1.55 MM

STACKUP TABLE				
Unit = Millimeter				
#	NAME	TYPE	MATERIAL	THICKNESS
		SURFACE	AIR	0
1	TOP	CONDUCTOR	COPPER	0.03
		DIELECTRIC	FR-4	0.36
2	INT_1	PLANE	COPPER	0.03
		DIELECTRIC	FR-4	0.71
3	INT_2	CONDUCTOR	COPPER	0.03
		DIELECTRIC	FR-4	0.36
4	BOTTOM	CONDUCTOR	COPPER	0.03
		SURFACE	AIR	0
TOTAL THICKNESS				1.552

DRILL CHART: TOP to BOTTOM					
ALL UNITS ARE IN MILLIMETERS					
FIGURE	FINISHED SIZE	TOLERANCE DRILL	PLATED	QTY	
•	0.15	+0.0/-0.0	PLATED	659	
◆	0.55	+0.0/-0.0	PLATED	4	
○	0.9	+0.0/-0.0	PLATED	16	
⊗	1.1	+0.15/-0.0	NON-PLATED	2	
⊙	2.1	+0.0/-0.0	NON-PLATED	1	
⊖	2.5±0.7	+0.0/-0.0	PLATED	2	

		N.E.O Athinon - Patron 15 26441, Patras, Greece tel: (+30) 2610390940 fax: (+30) 2610390941	
Design Name	DA1459x-devkt-b-usb		
DoxBox #	610-12-A	Rev:	A
Designer	PR		
Date	20/NOV/2023		



•
•

•