

Renesas Ready Ecosystem Partner Solution **Zephyr RTOS**



Solution Summary

The Zephyr Project is a Linux Foundation hosted Collaboration Project. It's an open-source collaborative effort uniting developers and users in building a best-in-class small, scalable, real-time operating system (RTOS) optimized for resource-constrained devices, across multiple architectures. Renesas is a Platinum member of the Zephyr project with support for RA, RX MCU and RZ MPU family devices and boards.

Features/Benefits

- Open-source real time operating system, with vibrant community participation
- Comprehensive, lightweight, kernel & supporting services, inherently portable & secure
- Complete, fully integrated, highly configurable, modular for flexibility
- Fully connected with Bluetooth 5.0 & BLE, Wi-Fi, Ethernet, CANbus, IoT protocols like CoAP, LwM2M, MQTT, OpenThread and USB & USB-C
- Developer-friendly, logging, tracing, debugging, built-in shell, Windows/Linux/macOS support
- Product development ready using LTS that includes security updates
- Permissively licensed Apache 2.0 with vendor neutral governance, broad SoC, board and sensor support

Diagrams/Graphics



Target Markets and Applications

- Industrial IoT
- Asset tracking
- Wearables & Healthcare
- Worker Safety



- Available through the Apache 2.0 open source license
- Free to use in commercial and non-commercial solutions
- Long Term Support (LTS) with security updates
- Certification ready with Auditable code base for goal of safety certification

♥ Connected

- ▶ Supports 802.15.4, Bluetooth® Low Energy, CAN, Cellular, Ethernet, LoRaWAN®, Thread[®], USB and Wi-Fi[®]
- Supports standards like 6LoWPAN, CoAP, HTTP, IPv4, IPv6, LwM2M, Modbus®, MQTT, SNTP and WebSocket



- Developed with
- Includes CAN with PSIRT response team

security in mind

A PROVEN RTOS ECOSYSTEM, BY DEVELOPERS, FOR DEVELOPERS

- Open source RTOS
- ▶ **Support** for multiple architectures, SoCs and boards
- Highly configurable & modular
- Optimized for memory constrained devices
- Thread-level memory protection
- ► Native IPv4/IPv6 protocol stack
- ▶ Bluetooth® 5.0 support includes Bluetooth Low Energy mesh
- Over the air update via LwM2M or GATT
- OpenThread, LVGL, OpenAMP, FatFs, and LittleFS integrations
- Secure boot and update support
- Scalable, runs on systems as small as 8KB

DEVELOP YOUR PRODUCTS ON OVER 600 SUPPORTED BOARDS

- ▶ Based on a small footprint kernel; targeting devices from simple embedded environmental sensors or wearables to IoT wireless gateways and industrial machines.
- **Supports multiple architectures,** including Arm (Cortex-A, Cortex-R,
- Cortex-M), Intel x86, ARC, Nios II, Tensilica Xtensa, RISC-V, SPARC, and MIPS
- **Royalty-free,** under an Apache 2.0 license.

Getting Started Guide: docs.zephyrproject.org/latest/getting started/index.html **Supported Boards:** docs.zephyrproject.org/latest/boards/index.html View the Code: github.com/zephyrproject-rtos/zephyr

chat.zephyrproject.org

@zephyr@social.lfx.dev

in The Zephyr Project

ZephyrProject

ZephyrloT

ZephyrloT



Products Running Zephyr