

DA913x Quick Start

1 Quick Start




Figure 1: DA913x-30 Jumpers and headers location

Connections from the table below are highlighted in green

Table 1: Jumpers and headers overview

Connection	Description	Default	Location
J14	IC_EN	Jumper fitted to pull-up position	Top-left, 4th jumper from the left
J9	GPIO header	Jumper between VSYS and VDDIO	TOP left, jumper on positions 21 and 23
J2 - J3	VSYS - GND	Supply from PSU, 4V - 5A recommended	Left of EVB
J4 - J25	VOUT1 - GND	Channel 1 output	Top right of EVB
J5 - J19	VOUT2 [Note 1] - GND	Channel 2 [Note 1] output	Bottom right of EVB

**Note 1** VOUT2 is connected to VOUT1 on DA9130 boards.

1.1 Instructions

Make sure the jumper configuration is correct. IC\_EN has to be on pull-up position and VDDIO connected to VSYS.

Connect a bench PSU to VSYS (J2, positive) and GND (J3, return) and make sure it can supply 4V and 5A. Measure the outputs on VOUT1 (J4) and VOUT2 (J19).

Pull-up and pull-down jumpers may be needed on GPIOs 0 to 2 depending on the configuration.

## IMPORTANT NOTICE AND DISCLAIMER

RENESAS ELECTRONICS CORPORATION AND ITS SUBSIDIARIES (“RENESAS”) PROVIDES TECHNICAL SPECIFICATIONS AND RELIABILITY DATA (INCLUDING DATASHEETS), DESIGN RESOURCES (INCLUDING REFERENCE DESIGNS), APPLICATION OR OTHER DESIGN ADVICE, WEB TOOLS, SAFETY INFORMATION, AND OTHER RESOURCES “AS IS” AND WITH ALL FAULTS, AND DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, WITHOUT LIMITATION, ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT OF THIRD-PARTY INTELLECTUAL PROPERTY RIGHTS.

These resources are intended for developers who are designing with Renesas products. You are solely responsible for (1) selecting the appropriate products for your application, (2) designing, validating, and testing your application, and (3) ensuring your application meets applicable standards, and any other safety, security, or other requirements. These resources are subject to change without notice. Renesas grants you permission to use these resources only to develop an application that uses Renesas products. Other reproduction or use of these resources is strictly prohibited. No license is granted to any other Renesas intellectual property or to any third-party intellectual property. Renesas disclaims responsibility for, and you will fully indemnify Renesas and its representatives against, any claims, damages, costs, losses, or liabilities arising from your use of these resources. Renesas' products are provided only subject to Renesas' Terms and Conditions of Sale or other applicable terms agreed to in writing. No use of any Renesas resources expands or otherwise alters any applicable warranties or warranty disclaimers for these products.

(Disclaimer Rev.1.01)

### Corporate Headquarters

TOYOSU FORESIA, 3-2-24 Toyosu,  
Koto-ku, Tokyo 135-0061, Japan  
[www.renesas.com](http://www.renesas.com)

### Trademarks

Renesas and the Renesas logo are trademarks of Renesas Electronics Corporation. All trademarks and registered trademarks are the property of their respective owners.

### Contact Information

For further information on a product, technology, the most up-to-date version of a document, or your nearest sales office, please visit [www.renesas.com/contact-us/](http://www.renesas.com/contact-us/).